

Notice of Allowability

Application No.

08/300,510

Examiner

David A Saunders, PhD

Applicant(s)

GEFTER ET AL

Art Unit

1644

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to AMENDMENT OF 1/12/04
2. ☒ The allowed claim(s) is/are 134-138, 145-159
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☒ to Paper No./Mail Date 8.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Art Unit: 1644

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Sua sponte the examiner has amended the disclosure as follows:

At page 8, line 21, after "08/227,772" and "07/963,381" entered -- (abandoned)--.

At page 8, line 23, after "07/662,276" and "07/884,718" entered -- (abandoned)--.

At page 8, line 24, after "08/006,116" entered -- (abandoned)--.

At page 8, line 26, after "08/866,679" entered -- (abandoned)--.

At page 8, line 28, after "08/031,001" entered -- (abandoned)--.

At page 8, line 29, after "08/106,016" entered -- (abandoned)--.

At page 8, line 31, after "08/226,248" entered -- (abandoned)--.

At page 8, line 33, after "08/156,549" entered -- (abandoned)--.

Attached under examiner's signature is a copy of the index of claims showing claim renumbering at issue.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David A Saunders, PhD whose telephone number is 571-272-0849. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christina Chan, can be reached on 571-272-0841.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

Art Unit: 1644

applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

David A. Saunders

DAVID SAUNDERS
PRIMARY EXAMINER

ART UNIT 182/1644

Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original
	1		31		61		91		121	11	151		181
	2		32		62		92		122	12	152		182
	3		33		63		93		123	13	153		183
	4		34		64		94		124	14	154		184
	5		35		65		95		125	15	155		185
	6		36		66		96		126	16	156		186
	7		37		67		97		127	17	157		187
	8		38		68		98		128	18	158		188
	9		39		69		99		129	19	159		189
	10		40		70		100		130		160		190
	11		41		71		101		131		161		191
	12		42		72		102		132		162		192
	13		43		73		103		133		163		193
	14		44		74		104	1	134		164		194
	15		45		75		105	2	135		165		195
	16		46		76		106	4	136		166		196
	17		47		77		107	20	137		167		197
	18		48		78		108	5	138		168		198
	19		49		79		109		139		169		199
	20		50		80		110		140		170		200
	21		51		81		111		141		171		201
	22		52		82		112		142		172		202
	23		53		83		113		143		173		203
	24		54		84		114		144		174		204
	25		55		85		115	3	145		175		205
	26		56		86		116	6	146		176		206
	27		57		87		117	7	147		177		207
	28		58		88		118	8	148		178		208
	29		59		89		119	9	149		179		209
	30		60		90		120	10	150		180		210